Brain Research, 456 (1988) 407–409
Elsevier

Author Index

Aguilera, P., see Garcia-Segura, L.M., 357
Ahdieh, H.B. and Feder, H.H., Sex differences in nuclear androgen receptors in guinea pig brain and the effects of an α_2 noradrenergic blocker on androgen receptors, 275
Albers, H.E., Liou, S.Y. and Ferris, C.F., Testosterone alters the behavioral response of the medial preoptic-anterior hypothalamus to microinjection of arginine vasopressin in the hamster, 382
Altrup, U. and Speckmann, E.-J., Epileptic discharges induced by pentylenetetrazol: changes of shape of dendrites, 401

Baker, H.F., see Ridley, R.M., 71
Baskys, A., see Reynolds, J.N., 286
Bellin, S.I., Landas, S.K. and Johnson, A.K., Selective catecholamine depletion of structures along the ventral lamina terminalis: effects on experimentally-induced drinking and pressor responses, 9
Berthold, C.-H., Corneliuson, O. and Mellström, A., Peroxidase activity at CNS nodes of Ranvier and in initial axon segments of lumbosacral α-motoneurons after intramuscular administration of horseradish peroxidase, 293
Biber, A., see Grünwald, F., 350
Biegon, A., see Gross-Isseroff, R., 120
Björklund, A., see Nilsson, O.G., 193
Borges, R., see Cárdenas, A.M., 364
Bourne, R.C., see Stewart, M.G., 387
Brundin, P., see Nilsson, O.G., 193
Bunse, B., see Onali, P., 302

Cadet, J.L., Jackson-Lewis, V. and Fahn, S., The iminodipropionitrile (IDPN) model of persistent spasmodic dyskinesias: regional serotonin metabolism in rat brain, 371
Calés, J.M., see Garcia-Segura, L.M., 357
Cárdenas, A.M., Montiel, C., Esteban, C., Borges, R. and García, A.G., Secretion from adrenaline- and noradrenaline-storing adrenomedullary cells is regulated by a common dihydropyridine-sensitive calcium channel, 364
Carlen, P.L., see Reynolds, J.N., 286
Chmielowska, J., see Stewart, M.G., 387
Chudler, E.H., Pretel, S. and Kenshalo Jr., D.R., Distribution of GAD-immunoreactive neurons in the first (SI) and second (SII) somatosensory cortex of the monkey, 57
Church, M.W. and Gritzke, R., Dose-dependent effects of atropine sulfate on the brainstem and cortical auditory evoked potentials in the rat, 224
Cooper, S.J. and Yerbury, R.A., Clonazepam selectivity increases saccharin ingestion in a two-choice test, 173
Corneliuson, O., see Berthold, C.-H., 293
Csillag, A., see Stewart, M.G., 387

Da Prada, M., see Pizzi, M., 235
Davison, J.S., see Humphreys, G.A., 241
Delank, W.K., see Simmet, T., 344
Desiraju, T., see Gundappa, G., 205
De Souza, E.B., see Kapcala, L.P., 159
Dunaway, G.A. and Kasten, T.P., Physiological implications of the alteration of 6-phosphofructo-1-kinase isozyme pools during brain development and aging, 310

El-Yassir, N., Fleetwood-Walker, S.M. and Mitchell, R., Heterogeneous effects of serotonin in the dorsal horn of rat: the involvement of 5-HT_1 receptor subtypes, 147
Esteban, C., see Cárdenas, A.M., 364

Fahn, S., see Cadet, J.L., 371
Faivre-Bauman, A., see Loudes, C., 324
Feder, H.H., see Ahdieh, H.B., 275
Felder, R.B., see Miller, B.D., 333
Ferris, C.F., see Albers, H.E., 382
Ffrench-Mullen, J.M.H., see Rogawski, M.A., 38
Fleetwood-Walker, S.M., see El-Yassir, N., 147

García, A.G., see Cárdenas, A.M., 364
Garcia-Segura, L.M., Suarez, I., Segovia, S., Tranque, P.A., Calés, J.M., Aguilera, P., Olmos, G. and Guillamón, A., The distribution of glial fibrillary acidic protein in the adult rat brain is influenced by the neonatal levels of sex steroids, 357
Gash, D.M., see Notter, M.F.D., 254
Goldberg, M.R., see Tung, C.-S., 64
Gorski, R.A., see Tarttelin, M.F., 271
Gritzke, R., see Church, M.W., 224
Gross-Isseroff, R., Israeli, M. and Biegon, A., Autoradiographic analysis of [^{3}H]desmethylimipramine binding in the human brain postportem, 120
Grünwald, F., Schröck, H., Theilen, H., Biber, A. and Kuschinsky, W., Local cerebral glucose utilization of the awake rat during chronic administration of nicotine, 350
Guillamón, A., see Garcia-Segura, L.M., 357
Gundappa, G. and Desiraju, T., Deviatons in brain development of F2 generation on caloric undernutrition and scope of their prevention by rehabilitation: alterations in dendritic spine production and pruning of pyramidal neurons of lower laminae of motor cortex and visual cortex, 205
Gustafsson, B., see Huang, Y.-Y., 88

Heafely, W.E., see Pizzi, M., 235
Hahne, M., Illert, M. and Wietelmann, D., Recurrent inhibition in the cat distal forelimb, 188
Hakim, A., see Nadler, J.V., 168
Harding, J.W., see Sullivan, M.J., 249
Hollister, A.S., see Tung, C.-S., 64
Huang, Y.-Y., Gustafsson, B. and Wigström, H., Facilitation of hippocampal long-term potentiation in slices perfused with high concentrations of calcium, 88
Humphreys, G.A., Davison, J.S. and Veale, W.L., Injection of neuropeptide Y into the paraventricular nucleus of the hypothalamus inhibits gastric acid secretion in the rat, 241

Illert, M., see Hahne, M., 188
Irwin, I., see Notter, M.F.D., 254
Israeli, M., see Gross-Isseroff, R., 120

Jackson, I.M.D., see Wu, P., 22

Jackson-Lewis, V., see Cadet, J.L., 371
Janeczko, K, The proliferative response of astrocytes to injury in neonatal rat brain. A combined immunocytochemical and autoradiographic study, 280
Jen, P.H.-S., see Schlegel, P.A., 127
Johnson, A.K., see Bellin, S.I., 9
Johnson, G.V.W. and Jope, R.S., Phosphorylation of rat brain cytoskeletal proteins is increased after orally administered aluminum, 95
Johnson, J.A., see Ridley, R.M., 71
Jope, R.S., see Johnson, G.V.W., 95
Justice Jr., J.B., see Nicolaysen, L.C., 317

Kalman, M., see Stewart, M.G., 387
Kapcala, L.P. and De Souza, E.B., Characterization of corticotropin-releasing factor receptors in dissociated brain cell cultures, 159
Kasten, T.P., see Dunaway, G.A., 310
Kenshalo Jr., D.R., see Chudler, E.H., 57
Korf, J., see Loopuijt, L.D., 263
Kuschinsky, W., see Grünwald, F., 350

Lakos, S.F., see Miller, A.D., 367
Landas, S.K., see Bellin, S.I., 9
Langston, J.W., see Notter, M.F.D., 254
Lauber, A.H., Bethanechol-induced increase in hypothalamic estrogen receptor binding in female rats is related to capacity for estrogen-dependent reproductive behavior, 177
Lee, M., Strahlendorf, H.K. and Strahlendorf, J.C., Differential effects of *N*-methyl-D-aspartic acid and L-homocysteic acid on cerebellar Purkinje neurons, 104
Liou, S.Y., see Albers, H.E., 382
Long, J.B., see Tortella, F.C., 139
Loopuijt, L.D., Sebens, J.B. and Korf, J., Regional differences in reappearance of D_2-dopamine receptors in the rat caudate-putamen complex after irreversible inactivation, 263
Loudes, C., Faivre-Bauman, A., Patte, C. and Tixier-Vidal, A., Involvement of DHP voltage-sensitive calcium channels and protein kinase C in thyroliberin (TRH) release by developing hypthalamic neurons in culture, 324
Lovick, T.A., Convergent afferent inputs to neurones in nucleus paragigantocellularis lateralis in the cat, 183
Luck, W., see Simmet, T., 344

Macrae, I.M. and Reid, J.L., Cardiovascular significance of neuropeptide Y in the caudal ventrolateral medulla of the rat,1
Mailleux, P. and Vanderhaeghen, J.-J., Transient neurotensin in the human inferior olive during development, 199
Mellström, A., see Berthold, C.-H., 293
Memo, M., see Pizzi, M., 235
Miller, A.D., Lakos, S.F. and Tan, L.K., Central motor program for relaxation of periesophageal diaphragm during the expulsive phase of vomiting, 367
Miller, B.D. and Felder, R.B., Excitatory amino acid receptors intrinsic to synaptic transmission in nucleus tractus solitarii, 333
Mitchell, R., see El-Yassir, N., 147
Montiel, C., see Cárdenas, A.M., 364
Murakami, M., see Takahashi, K.-I., 29

Nadler, J.V., Wang, A. and Hakim, A., Toxicity of L-proline toward rat hippocampal neurons, 168
Neale, J.H., see Williamson, L.C., 375
Nicolaysen, L.C., Pan, H.-T. and Justice Jr., J.B., Extracellular cocaine and dopamine concentrations are linearly related in rat striatum, 317
Nilsson, O.G., Brundin, P., Widner, H., Strecker, R.E., and Björklund, A., Human fetal basal forebrain neurons grafted to the denervated rat hippocamus produce an organotypic cholinergic reinnervation pattern, 193
Notter, M.F.D., Irwin, I., Langston, J.W. and Gash, D.M., Neurotoxicity of MPTP and MPP^+ in vitro: characterization using specific cell lines, 254

Olianas, M.C., see Onali, P., 302
Olmos, G., see Garcia-Segura, L.M., 357
Onali, P., Olianas, M.C. and Bunse, B., Evidence that adenosine A_2 and dopamine autoreceptors antagonistically regulate tyrosine hydroxylase activity in rat striatal synaptosomes, 302

Pan, H.-T., see Nicolaysen, L.C., 317
Patte, C., see Loudes, C., 324
Pellmar, T.C., see Tolliver, J.M., 49
Peskar, B.A., see Simmet, T., 344
Pieniek, M., see Rogawski, M.A., 38
Pizzi, M., Da Prada, M., Valerio, A., Memo, M., Spano, P.F. and Haefely, W.E., Dopamine D2 receptor stimulation inhibits inositol phosphate generating system in rat striatal slices, 235
Pretel, S., see Chudler, E.H., 57

Reid, J.L., see Macrae, I.M.,1
Reppert, S.M. and Uhl, G.R., The vasopressin gene is expressed prior to regulation in the supraoptic nuclei of fetal rats, 392
Reynolds, J.N., Baskys, A. and Carlen, P.L., The effects of serotonin on *N*-methyl-D-aspartate and synaptically evoked depolarizations in rat neocortical neurons, 286
Ridley, R.M., Samson, N.A., Baker, H.F. and Johnson, J.A., Visuospatial learning impairment following lesion of the cholinergic projection to the hippocampus, 71
Roberts Jr., E.L. and Sick, T.J., Calcium-sensitive recovery of extracellular potassium and synaptic transmission in rat hippocampal slices exposed to brief anoxia, 113
Robertson, D., see Tung, C.-S., 64
Rogawski, M.A., Pieniek, M., Suzuki, S. and Ffrench-Mullen, J.M.H., Phencyclidine selectively blocks the sustained voltage-dependent potassium conductance in PC12 cells, 38

Samson, N.A., see Ridley, R.M., 71
Schlegel, P.A., Jen, P.H.-S and Singh, S., Auditory spatial sensitivity of inferior collicular neurons of echolocating bats, 127
Schor, N.F., Inactivation of mammalian brain glutamine synthetase by oxygen radicals, 17
Schröck, H., see Grünwald, F., 350
Sebens, J.B., see Loopuijt, L.D., 263
Segovia, S., see Garcia-Segura, L.M., 357
Seto, K., see Tanaka, J., 397
Sick, T.J., see Roberts Jr., E.L., 113
Simmet, T., Luck, W., Delank, W.K., and Peskar, B.A., Formation of cysteinyl-leukotrienes by human brain tissue, 344
Singh, S., see Schlegel, P.A., 127
Spano, P.F., see Pizzi, M., 235
Speckmann, E.-J., see Altrup, U., 401

Stanford, D., see Stewart, M.G., 387
Stewart, M.G. Bourne, R.C., Chmielowska, J., Kalman, M., Csillag, A.and Stanford, D., Quantitative autoradiographic analysis of the distribution of [^{3}H]muscimol binding to GABA receptors in chick brain, 387
Strahlendorf, H.K., see Lee, M., 104
Strahlendorf, J.C., see Lee, M., 104
Strecker, R.E., see Nilsson, O.G., 193
Suarez, I., see Garcia-Segura, L.M., 357
Sullivan, M.J., Harding J.W. and Wright, J.W., Differential effects of aminopeptidase inhibitors on angiotensin-induced pressor responses, 249
Suzuki, S., see Rogawski, M.A., 38

Takahashi, K.-I. and Murakami, M., Calcium action potential in ON–OFF transient amacrine cell of the carp retina, 29
Tan, L.K., see Miller, A.D., 367
Tanaka, J. and Seto, K., Neurons in the lateral hypothalamic area and zona incerta with ascending projections to the subfornical organ area in the rat, 397
Tarttelin, M.F. and Gorski, R.A., Postnatal influence of diethylstilbestrol on the differentiation of the sexually dimorphic nucleus in the rat is as effective as perinatal treatment, 271
Theilen, H., see Grünwald, F., 350
Tixier-Vidal, A., see Loudes, C., 324
Tolliver, J.M. and Pellmar, T.C., Effects of dithiothreitol, a sulfhydryl reducing agent, on CA_1 pyramidal cells of the guinea pig hippocampus in vitro, 49
Tortella, F.C. and Long, J.B., Characterization of opioid peptide-like anticonvulsant activity in rat cerebrospinal fluid, 139
Tranque, P.A., see Garcia-Segura, L.M., 357
Tung, C.-S., Goldberg, M.R., Hollister, A.S. and Robertson, D., Both α- and β-adrenoceptors contribute to the central depressor effect of catecholamines, 64

Uhl, G.R., see Repert, S.M., 392

Valerio, A., see Pizzi, M., 235
Vanderhaeghen, J.-J., see Mailleux, P., 199
Veale, W.L., see Humphreys, G.A., 241

Wang, A., see Nadler, J.V., 168
Widner, H., see Nilsson, O.G., 193
Wietelmann, D., see Hahne, M., 188
Wigström, H., see Huang, Y.-Y., 88
Williamson, L.C. and Neale, J.H., Ultrastructural localization of *N*-acetylaspartylglutamate in synaptic vesicles of retinal neurons, 375
Wright, J.W., see Sullivan, M.J., 249
Wu, P. and Jackson, I.M.D., Post-translational processing of thyrotropin-releasing hormone precursor in rat brain: identification of 3 novel peptides derived from proTRH, 22

Yerbury, R.A., see Cooper, S.J., 173